

## Linear actuator PA-L-50/300-S

### **Technical Data**



IP code







IP54





24 V DC Input voltage

Nominal current 1.0 7.7

Running speed

Switch on duration 30

#### **MOUNTING POSITIONS**

























#### **TECHNICAL DATA**

Matchcode PA-L-50/300-S Article name

Linear actuator PA-L-50/300-S Part number M2 2402 S

24 V DC Input voltage Nominal current 1.0

Input voltage range - 15 % / + 15 % Networked standby 0.9 W (1 min)

Stroke 300 Push force 500 Pull force 500 1000

Nominal locking force Cut-Off integrated electronic overload cut-off

Running speed 7.7 IP code **IP54** 

Switch on duration 30

aufgesetzt Mounting way Weight 1.7

End-to-end aluminium profile tube, anodized in Housing E6/EV1 with integrated retainer for flexible

bracket system

Housing type Aluminium Colour On request 687

Housing length Housing height 42 36 Diameter Appliance class

Connection cable SICO PLUG connection. Excluding connection

cable / set.



# Linear actuator PA-L-50/300-S

Nominal working temperature Environment temperature range Brackets included Customs tariff no 20 -5 °C - 75 °C nein 84798997

| ACCESSORIES      |                                |
|------------------|--------------------------------|
| Part no.         | Matchcode                      |
| K2 1501          | <u>OK</u>                      |
| <u>K2 1502</u>   | <u>DAS</u>                     |
| <u>K2 1505 A</u> | <u>UKU-740</u>                 |
| <u>K2 1506</u>   | <u>AW 100-6</u>                |
| K2 1506 A        | <u>AW 100-6-A</u>              |
| K2 1507 A        | AW 150-6                       |
| K2 1507 B        | AW 150-6-A                     |
| K2 1519 A        | AW 250-6                       |
| K2 1539          | HK-L                           |
| K2 1562          | <u>UK-L</u>                    |
| K2 1563          | <u>K-L-UK-J</u>                |
| <u>K2 1576</u>   | K-L-RAICO105D-RE-9006 (rechts) |
| <u>K2 1577</u>   | K-L-RAICO105D-LI-9006 (links)  |
| K2 1601          | K-L-A-LI-AW57RO                |
| K2 1603          | K-L-A-RE-AW57RO                |
| K2 2004          | PA-ANL-3m                      |
| K2 2005          | PA-ANL-5m                      |
| K2 2006          | PA-ANL-+Ifm                    |
| K2 2007          | PA-SICO-SET-3m                 |
| <u>K2 2008</u>   | PA-SICO-SET-5m                 |
| K2 2009          | PA-SICO-SET-+lfm               |
| SD1 8522         | SICO-LINK-Adapter              |
| SD1 8525         | SICO-PLUCKER                   |